



Your partner in tamper-evident security solutions

Product Guide

Our History

TydenBrooks offers a complete range of high-quality, tamper-evident security seals designed in various lengths and break strengths to meet the needs of any security application. Our portfolio includes superior quality plastic adjustable -length seals, and fixed-length seals, as well as metal seals built for high-security applications from fixed-length seals to adjustable cable seals, high-security bolt seals, and digital solutions.

As the manufacturer, we provide extensive customization options, including custom colors, printing, barcodes, and QR codes all at competitive, affordable rates with best-in-class lead times.

With a manufacturing, sales, and marketing presence in over 50 countries, TydenBrooks delivers security solutions to a diverse range of industries, including transportation, retail, agriculture, petrochemical, pharmaceuticals, healthcare, government, commercial airlines, manufacturing, and more.

Industries



Agriculture



Airline



Automotive



Chemical



Food & Beverage



Government &
Military



Healthcare



Manufacturing



Oceanic



Pharmaceutical



Rail



Retail



Transportation




Trucking



3rd Party Logistics

Timeline

With over 153 years of expertise, TydenBrooks is the global leader in innovative, high-quality security seals and tamper-evident solutions.






Table of Contents

TydenBrooks is the original innovator & manufacturer of tamper-evident security seals and solutions. Committed to superior quality and best in class lead times, our solutions are trusted by industries worldwide.

Bolt Seals

pages 5-8

Strong, ISO high-security tamper-evident protection with a visible deterrent. Bolt cutters or specialty removal tool required.

Cable Seals

pages 9-11

Durable, tamper-evident security for containers, trucks, and railcars, with options that meet ISO 17712 high security standards.

Indicative Seals

pages 12-17

Metal and plastic seals in adjustable and fixed designs, deliver tamper-evident security for diverse applications.

Padlock Seals


pages 18-22

Padlock seals provide versatile, tamper-evident security with durable metal and plastic for smaller apertures.

Specialty Products

pages 23-24

A range of tamper-evident tapes and labels that deter unauthorized access and ensure secure control.



Bolt Seals

Superior Quality. Global Compliance. High-Value Shipments.

C-TPAT and ISO 17712:2013 compliant high-security bolt seals with a visible deterrent. Bolt cutters or a specialty removal tool are required. Pull-apart break strength ranging from 4,100 to 6,475 lbs.

Applications: Intermodal Containers, High-Value Shipments, Truck/Trailer Doors, Railcar Shipments



shop high-security
bolt seals

Bolt Seals



Super Bolt

The Super Bolt Seal is a heavy-duty ISO high-security hardened bolt seal for applications requiring restricted access to the doors of trucks, containers, and autorack rail cars.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Marking options: Cold stamped with company name and numbering and lasered with plastic overmold
- Bright zinc plating for corrosion resistance and durability in all conditions
- Bolt lengths: 4" (102 mm) and 6" (152 mm), diameter: 5/16" (7.9 mm)
- Strength: 6,475 lbs (28.80 kN)
- Requires specialty removal tool



Intermodal II

The Intermodal II is an ISO high-security bolt seal that consists of a steel bolt and a plastic-coated steel locking chamber. The Intermodal II is designed for securing ISO containers and high-value cargo shipments.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Multiple color options that are laser marked with consecutively numbering (standard white & yellow)
- Locking insert spins freely to confirm seal integrity
- High impact plastic cover on locking chambers clearly indicates tampering
- Bolt is 3.3" (83.8 m) long and 0.37" (9.5 mm) in diameter
- Strength: 4,713 lbs (20.96 kN)



SnapTracker

The SnapTracker Bolt Seal is a barrier class seal, designed for securing high-value cargo. A solid steel bolt provides strength while a molded plastic coating provides tamper evidence.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Multiple color options that are laser marked with consecutively numbering
- Bolt and locking body are keyed to prevent spinning
- Both parts are numbered to prevent fraud by replacement of either bolt or lock body
- Bolt length 2.5" (63.5 mm)
- Strength: 4,200 lbs (18.68kN)



Bolt Seals



shop high-security
bolt seals

Applications: Truck/Trailer Doors, Intermodal Containers, Box Car Doors, etc.




Econo Bolt

The Econo Bolt is an ISO 17712:2013 high-security seal with a 5/16" steel lock body that snap-locks to the cold-headed steel bolt.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Marking Options: Cold stamped with company name and numbered
- Bolt is 3.09" (78.6 mm) long and 5/16" (8 mm) in diameter
- Locking body accepts optional 3/8" (9.5 mm) diameter bolt
- Strength: 4,100 lbs (18.24 kN)



Global Auto Loc

The Global Auto Loc Bolt Seal is a case-hardened bolt seal designed for rail shipments of automobiles, meeting AAR specifications.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Marking Options: Laser with company name/logo and numbered; barcode on white
- Body made of ABS Plastic with Steel insert. Bolt made of hardened steel
- Bolt length: 4" (101.6 mm)
- Special removal tool required for removal
- Strength: 5,103 lbs (22.70kN)



Rod Lock II

The Rod Lock II is an all-steel bolt seal for securing high-value cargo and customs inspected shipments.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Marking Options: Cold stamped with company name and numbered
- Locking chamber spins freely to confirm seal integrity
- Straight and curved bolts available
- Bolt is 3.5" (89 mm) long and 3/8" (9.5 mm) in diameter
- Strength: 6,492 lbs (28.88 kN)



Cable Seals

Range of Flexibility. Resilient. Global Compliance.

Durable, tamper-evident security with options that meet ISO 17712 high security standards and tensile strength ranging from 727 to 3,3000 lbs.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Hopper Railcars, Truck Door latches, Intermodal

Cable Seals



shop cable seals

Applications: Bulk or Tanker Railcars/Trucks, Containers, Intermodal, Valves & Meters, Hopper Cars, etc.



EZ Loc 1/8"

EZ Loc is a medium-duty cargo security seal featuring non-preformed security cable that frays when cut, with various marking options for customized tracking.

Applications: Bulk Railcars/Trucks, Metal Containers, Tanker Railcars/Trucks, Truck Door Latches, Intermodal

- Three marking options: Cold stamp, Inkjet, Laser
- Optional laser tag serial number transfer
- Pulls tight for maximum security
- Strength: 3,300 lbs (14.68 kN)
- Removal tool: cable cutters



CTPAT
VALIDATED



EZ Loc 1/16" & 3/32"

The medium and light-duty EZ Loc is a corrosion-resistant zinc-steel seal with a 12" non-preformed galvanized cable that frays when cut. The 3/32" version is preferred in the chemical and food processing industries, while the 1/16" version is used by the sweetener industry for bulk rail and truck shipments.

Applications: Railcars, Containers, Tank Cars, Valves & Meters

- Three marking options: Cold stamp, Ink jet, Laser
- Optional laser tag serial number transfer
- Available in 1/16" (1.58 mm) and 3/32" (2.38 mm) cable diameters
- Strength: 750 lbs (3.34 kN) for 1/16" length; Strength: 1000 lbs (4.45 kN) for 3/32" length
- Remove tool cable cutters



EZ Loc Plus 1/8"

EZ Loc Plus meets ISO high security standards, offering enhanced tamper evidence and a larger marking area with its ABS overmolded zinc-steel lock body.

Applications: Railcars, Containers, Truck/Trailer doors, Intermodal Containers, Valves & Meters, Hopper Cars

- Larger marking area for enhanced customization laser marking
- Shock-resistant ABS plastic available in seven colors
- Non-preformed galvanized cable frays when cut
- Strength: 3,300 lbs (14.68 kN)
- Removal tool: cable cutters



CTPAT
VALIDATED

Cable Seals



shop cable seals

Applications: Bulk or Tanker Railcars/Trucks, Containers, Intermodal, Valves & Meters, Hopper Cars, etc.



EZ Loc Plus 1/16" & 3/32"

The medium and light-duty EZ Loc Plus features increased tamper-evidence and improved marking capability with a plastic ABS-overmolded zinc-steel lock body.

Applications: Railcars, High-Value Shipments, Containers, Tanker Cars/Trucks, Truck/Trailer Doors, Valves & Meters

- Larger marking area for enhanced customization laser marking
- Non-preformed security cable that frays when cut
- Strength: 750 lbs (3.34 kN) for 1/16"; Strength: 1000 lbs (4.45 kN) for 3/32"
- Pulls tight for maximum security
- Remove with cable cutters




FlexSecure FS15

The FlexSecure FS15 is a 1.5 mm diameter light-duty cable seal that is preferred by the sweetener industry for bulk rail and truck shipments. Its aluminum alloy locking body comes standard with a 12" non-preformed galvanized aircraft cable that frays when cut.

Applications: Domestic shipments, Bulk shipments, Intermodal, Truck/trailer door latches

- Laser marking: Name, logo, numbering, bar code
- Internal components: Zinc and steel
- Aluminum alloy lock body in various colors
- Strength 727 lbs (3.23 kN)
- Removal tool: Cable cutters



FlexSecure FS35

The FlexSecure FS35 is a 3.5 mm high security cable seal with an aluminum alloy body and fray-inducing galvanized aircraft cable.

Applications: High Value Shipments, Trailer door Latches, Cross Border Shipments, Intermodal

- Laser marking: Name, logo, numbering, bar code
- Internal components: Zinc and steel
- Aluminum alloy lock body in various colors
- Strength: 2400 lbs (10.67 kN)
- Removal Tool: Cable cutters



CTPAT
VALIDATED

10

Cables Seals



shop cable seals

Applications: Bulk or Tanker Railcars/Trucks, Containers, Intermodal, Valves & Meters, Hopper Cars, etc.



FlexSecure FS50

The FlexSecure FS50 is a 5.0 mm high-security cable seal that exceeds ISO standards. It features an aluminum alloy locking body and comes standard with a non-preformed galvanized aircraft cable that frays when cut.

Applications: High Value Shipments, Trailer Door Latches, Cross Border Shipments, Intermodal

- Laser marking: Name, logo, numbering, barcode
- Internal components: Zinc and steel
- Aluminum alloy lock body in various colors
- Strength: 3000 lbs (13.34 kN)
- Removal tool: cable cutters



Model A

The Model A Cable Seal is $\frac{1}{4}$ " (6.3 mm) diameter extreme duty cargo security seal that exceeds the ISO high security (H) security rating.

Applications: Railroad Boxcars, High Value Shipments, Truck Door Latches, Intermodal Containers

- Marking options: Cold stamp, Laser
- Overall length of 1.15" (388 mm)
 - 13" (325mm) of exposed cable
 - Optional longer cable lengths available for capturing keeper bars
- Strength 8995 lbs (40.01 kN)
- Removal tool: Cable cutters





Indicative Seals

Superior Quality. Tamper Evident. Strong & Reliable.

Metal and plastic seals in adjustable or fixed lengths, with pull-apart strengths from 11 to 145 lbs. Providing tamper-evident security for a wide range of applications. Plastic seals are proudly made in the USA.



Applications: Truck/Trailer doors, Rail boxcars, Retail Distribution, Animal Hide Tagging, Bulk Tankers, Intermodal, Fiber Drums, Tote Boxes, Meters & Valves

Plastic Indicative Seals



shop Plastic Seals

Applications: Truck/Trailer Doors, Tote Boxes, Intermodal Containers, Bulk Tankers, Mail Bags, etc.



Plastic Truck Seal

The Plastic Truck Security Seal is a fixed-length indicative plastic seal.

Applications: Truck/trailer doors, Rail boxcars, Retail distribution, Animal hide tagging, Access gates, Inventory control

- Marking Options: Laser with barcoding
- Available length: 7.5" (190 mm)
- 7 digit numbering and 17 characters maximum
- Strength: 30, 60, 90 lbs (13.6, 27.2, 40.8 kgf)



Secure-Grip

The Secure-Grip is an adjustable plastic strap seal with tamper-evident features and a metal locking clip, made from durable polypropylene.

Applications: Bulk Tankers, Intermodal Containers, Coin Bags, Mail Bags/Pouches, Inner Drum Bags

- Marking Options: Laser or Heat stamped with name and 7 digit numbering
- Available lengths: 7", 11", 15" (178, 279, 381 mm)
- Optional: Laser Bar coding (Interleaved 2 of 5, Code 39 or 128)
- Optional: Gripping prongs and/or tear-away feature
- Strength: 112 lbs (50 kgf); tear-away 50 lbs (23 kgf)



Tug Tight

The Tug Tight is an ideal security seal for situations requiring varying seal lengths. This tamper evident pull-tight adjustable security seal allows the user to cinch-up the seal according to their specific size requirements.

Applications: Truck/Trailer Doors, Tote Bins, Fiber Drums, Storage Cabinets, Rail Boxcars

- Individually numbered and stamped with company name and logo
- Available lengths: 9", 12", 15", 18" (229, 305, 381, 457 mm)
- Laser barcoding available with extended flag
- Tamper-resistant acetal locking mechanism
- Weather resistant; withstands extremes of cold and heat
- Strength: 40 lbs (18.1 kgf)

Plastic Indicative Seals



shop Plastic Seals

Applications: Truck/Trailer Doors, Tote Boxes, Intermodal Containers, Bulk Tankers, Mail Bags, etc.



All Seal

The All Seal is a pull-tight, adjustable length indicative plastic security seal that combines durability with ease of use. The All Seal is extensively used in the airline, healthcare, and dairy industries.

Applications: Hospital Equipment, Pharmacy Boxes and Cabinets, EMS Equipment, Zipper Bags

- Laser-etched bar coding available
- Available lengths: 8" and 10" (203, 254 mm)
- Thin sealing strap designed to fit most locking rings and equipment latches
- Features a tear-away design
- Strength: 18 lbs (8.2kgf)



Equilok

The Equilok is a medium-strength, adjustable seal for equipment needing tamper resistance and secure locking.

Applications: Intermodal containers, Coin Bags, Bulk Tankers, Inner Drum Bags, Mail Bags/Pouches

- Individually numbered or bar coded and stamped with company name/logo
- Available lengths: 7" and 10" (178, 254 mm)
- Thin sealing strap fits most locking rings and equipment latches
- Strength: 18 lbs (8.2 kgf)



Secure-Pull

The Secure-Pull is an adjustable length plastic strap seal for use on a variety of applications, particularly those with a small aperture. A patented integral metal clip provides a high level of security.

Applications: Tote Boxes, Zippered Bags, Valves/Hatches, Mini-Bars/Liquor Kits

- Marking: Laser or Heat stamped with company name and consecutive numbers (7 digits)
- Available lengths: 7" and 12" (178, 305 mm)
- 12" size features an optional tear-away design
- 7" size has an optional break slot for easy removal
- Strength: 35 lbs, (15.9 kgf)



shop Plastic Seals

Plastic Indicative Seals

Applications: Truck/Trailer Doors, Tote Boxes, Intermodal Containers, Bulk Tankers, Mail Bags, etc.




Pull-Tite II

The Pull-Tite II is an economical adjustable length plastic strap security seal for use on a variety of applications.

Applications: Fiber Drums, Zipper Money Bags, Information Tags, Emergency Doors, Cash Boxes, Dispenser Tanks, Fire Extinguishers

- Heat stamped company name and consecutive numbers; Heat stamped logo only (no numbers)
- Available length: 9" (229 mm)
- Self-locking seal – no tools required
- More than 20 locking positions in 1/8" (3 mm) increments
- Underwriters Laboratories approved for use with fire extinguishers
- Strength: 13 lbs (5.9 kgf)



FE-3

The FE-3 is a cost-effective, all-plastic pull-tight seal that's easy to use and shows clear evidence of tampering.

Applications: Inflight Service equipment, Hospital equipment, Pharmacy Boxes/ Cabinets, Fire Exit Doors

- Heat stamped option with company name and numbering provides security and tracking capabilities
- Available length: 9" (229mm)
- Thin sealing strap fits most locking rings and equipment latches
- Produced in strips of 10 with no plastic waste when separated from strip
- Strength: 12 lbs (5.4 kgf)



X-Strap

The X-Strap is a fixed-length, tamper-evident seal ideal for small openings or use with a keyed padlock.

Applications: Rail Boxcars, Containers, Truck/Trailer Doors

- Individually numbered and printed with company name/logo
- Laser etched bar coding available with extended flag
- Available lengths: 9" and 12" (228.6, 304.8mm)
- Strength: 40 lbs (18 kgf)

Plastic Indicative Seals



shop Plastic Seals

Applications: Truck/Trailer Doors, Tote Boxes, Intermodal Containers, Bulk Tankers, Mail Bags, etc.



Gemini Tote

The Gemini Tote Seal is a fixed-length, dual-numbered plastic seal sold in matching "twin" sets ideal for securing totes with two seal points.

Applications: Tote Boxes, Storage Equipment, In-flight Service Carts, Trailers w/multiple doors

- Marking: Hot stamp with two lines of up to 17 characters and 8 digits
- Available lengths: 5" and 7" (127, 177.8 mm)
- Durable, all-plastic, one-piece construction
- Strength: 35 lbs (15.9 kgf)



Secure-Tite

The Secure-Tite is a patented adjustable length plastic strap seal designed for various applications.

Applications: Intermodal Containers, Coin Bags, Bulk tankers, Inner Drum Bags, Mail Bags/Pouches

- Marking Options: Heat stamped name and 7 digit numbering
- Available lengths: 7", 11" or 15" (178, 279, 381 mm)
- Optional: Gripping prongs
- Strength: 85 lbs (38.5 kgf)



[shop metal seals](#)

Metal Indicative Seals



Tyden Ball Seal

The Tyden Ball Seal is a fixed-length flat metal strap seal that has been the global standard for tamper-evident truck seals.

Applications: Rail Boxcars, Containers, Truck/ Trailer Doors, Hopper Cars

- Cold stamped marking with two lines of up to 17 characters and 5-10 digits
- Optional: Ink Jet (bar coding available on white or yellow seals)
- Made of tin-plated steel, optional painted strap or painted cap (not both)
- Optional safety rolled edge for easy handling
- Length: 8.41" (213mm);
- Strength: 110 lbs



Guard Lock

The Guard Lock is an economical flat metal fixed-length truck seal with rolled edges for ease of handling. It features a hook-lock mechanism that locks securely with one simple motion.

Applications: Rail Boxcars, Containers, Truck/ Trailer Doors, Hopper Cars

- Cold stamped marking with two lines of up to 18 characters and 7 digits
- Optional: Ink Jet (bar coding available on white or yellow seals)
- Measures 8 3/8" x 3/8" (21 cm x 9 mm)
- Made of tin-plated steel, painted steel optional
- Strength: 100 lbs (45.4 kgf)



Padlocks

Tamper-Evident. Versatile. Reliable.

Padlock seals offer versatile, tamper-evident security for a range of applications. Combining durable metal and plastic components, they provide reliable protection for smaller apertures.

Applications: Utility Meters, Containers, Inflight Service Equipment, Fiber Drums, Zipper Bags, Storage Cabinets, Sterilization Enclaves, Hospital Equipment

Wire Seals



Applications: Meters, Fiber drums, Tanks, Meters & Scales, Ammunition boxes, etc.



Toolless Roto-Seal

The Roto-Seal is a plastic and wire seal that offers a safe alternative to lead seals.

Applications: Meters, Fiber drums, Tanks, Meters & Scales, Ammunition boxes

- Optional bar code is available
- Two component acrylic seal
- Attached stainless steel minimal wire length 8", 10", 12", 18" long (203, 254, 305, 457 mm)
- Spools or precut lengths of wire or Kevlar non-conductive wire also available



Self-Lok Seal

The Self-Lok Seal is a one-time use metal clamshell type seal that is applied to a wire.

Applications: Meters, Fiber drums, Tanks, Meters & Scales, Ammunition boxes

- One piece metal seal, made from tin plate
- Locks with finger pressure
- Company name / logo can be lithographed in 1 or 2 colors or stamped
- Minimum order quantities apply to custom versions of this product



Prong-Lok

The Prong-Lok is a metal crimp seal used with wire or cord. A sealing tool provides a secure fit, and a large flag provides room for embossed information.

Applications: Meters, Fiber drums, Tanks, Meters & Scales, Ammunition boxes


- Approved by all branches of the US Military for use on ammunition containers and equipment
- Once crimped, wire cannot be removed without being cut or destroying seal
- Available in aluminum or steel
- Ergonomically designed sealing press is easy to use and will not hurt operator's hands



shop Padlock seals

Padlock Seals

Applications: Electric Meters, Carts, Toolboxes, Zippered Money Bags, Cabinets, Container Latches, etc.




Alucast

The Alucast seal is the ideal replacement for a hazardous lead seal when used with a wire. It provides a more secure seal than lead seals. It is approved by all branches of the US Military for use on ammunition containers and equipment.

Applications: Ammunition Boxes, Drum Rings, Container Latches

- Sealing press can be fit with custom engraved dies to emboss operator location and initials
- Wire available lengths 8", 10", 12" (203, 254, 305 mm)
- Two component acrylic seal
- Attached stainless steel wire up to 18" (304.8 mm) long
- Once crimped, wire cannot be removed without being cut or destroying seal



Handi-lok

The Handilok HL-8 Plastic Padlock Seal is an easy to use padlock seal designed for application with one hand.

Applications: Electric Meters, Hospital Equipment, Cash Boxes, Inflight Service Equipment, Zipper Bags

- Heat Stamped or Embossed with Numbering: 7 digits
- One-piece, easy-break, all-plastic construction
- Individually numbered and stamped with company name/logo
- Strength: 6 lbs (2.7 kgf)



Spring-Lok

The Spring-Lok is a self-locking, tamper-indicating plastic seal with a unique hinge design. It is easy to close and allows for one-handed operation.

Applications: Electric Meters, Carts, ATM Cassettes, Toolboxes, Zippered Money Bags, Electrical Cabinets

- Heat stamped with company name (max. 12 letters) and consecutive numbers (max. 7 digits)
- Plastic body blushes if tampered with
- Quick and easy removal by twisting at break-point on spear
- Available with slit donut/stringing hole
- Strength: 8 lbs (3.6 kgf)



shop Padlock seals

Padlock Seals

Applications: Electric Meters, Carts, Toolboxes, Zippered Money Bags, Cabinets, Container Latches, etc.



Padlock PP-2

The Plastic Padlock PP-2 is an all-purpose plastic padlock seal that is available with adjustable break point strengths, which provide easy-break and standard options.

Applications: EMS Equipment, ATM Cassettes, Zipper Bags, Coin Boxes, Inflight Service Equipment, Hospital Equipment

- Debossed text marked with SEALED or logo and vertical break point
- Available length: 1.5" x 1" (38.1 x 25.4 mm)
- Strength: 7 lbs (3.2 kgf)



Padlock PP-3

The Plastic Padlock PP-3 is an all-purpose plastic padlock seal, designed with a pull-tight sealing strap.

Applications: Hospital Equipment, ATM Cassettes, EMS Equipment, Zipper Bags, Storage Units, Fiber Drums

- Individually numbered and stamped with company name & logo
- Heat Stamped or Embossed, Numbering: 6 digits
- Pull-tight style strap fits all applications where traditional padlocks are used, yet allows seals to fit varying equipment styles
- Strength: 18 lbs (8.2 kgf)



shop Padlock seals

Wire Hasp Padlock

Applications: Electric Meters, Carts, Toolboxes, Zippered Money Bags, Cabinets, Container Latches, etc.



Plastic Padlock

The Plastic Padlock Seal is a wire hasp, plastic body security seal that can be used in a variety of applications. It can also be barcoded. Accepted by UK & US Customs for airport liquor carts.

Applications: Meters, Doors, Hatches, In-bond shipments, Pouches, Scales, Airline bags, Trailers, Tote boxes, Tankers

- Heat stamped with name or logo and number (7 digits) in white or black
- Body dimensions 1.5" x .8" (12.7 x 20.3 mm)
- Polypropylene body blushes to reveal signs of tampering
- Available with standard hasp or tamper resistant secure hasp
- Wire can be scored (hand removal) or unscored (wire cutters)



Secure Hasp II

Secure Hasp II seals are wire and plastic security padlock seals that can be used in a variety of applications. Accepted by US & UK Customs for aircraft liquor cart use.

Applications: Drums, Meters, Barrels, Totes, Trailers, Airline liquor carts

- Heat stamped with name or logo and number (7 digits)
- Body dimensions: 1.5" x .8" (12.7 x 20.3 mm)
- Galvanized wire is either scored for removal by hand or unscored for removal with cutters
- Stainless steel wire is also available
- Tamper resistant wire design



Enduro Seal

The Enduro Seal® is a padlock security seal made of plastic designed for long term field life in harsh environments. See-through body positively indicates tampering.

Applications: Meters/Scales, Electrical power panels, In-bond shipments, Hatches, Roll cages, Tote boxes, Measuring devices

- Laser marked with name or logo and number (7 digits) with bar coding available on solid bodies
- Body dimensions: 1.5" x 8" (12.7 x 20.3 mm)
- Body made from Acrylic with the wire hasp made from galvanized or stainless steel
- Accepted by US & UK Customs
- Also available with solid body & contrasting colored insert



Specialty Products

A range of tamper-evident tapes and labels that deter unauthorized access and ensure secure control.

Applications: Doors and Hatches, Cars and Vans, IT Equipment, ATM Petrol/Gas Pump Seal, Electronic Equipment, Sensitive Areas, Search & Seal POLSA Use, Freight Containers, Machine Panels, Duty Free Packages

Contact our team to explore all options and find the best solution for your security solution needs.

Specialty Products



shop specialty solutions

Applications: Doors and Hatches, IT Equipment, ATM Petrol/Gas Pump Seal, Electronic Equipment, etc.



KNR Label

The KNR is a NON-RESIDUE reaction VOIDING self-adhesive security seal. The seal leaves an easy to see VOID/OPEN security message in the seal material itself, while leaving NO adhesive residue on the sealed surface.

Applications: Meters, Sensitive Areas, Electronic Equipment, Search & Seal POLSA, IT Equipment, ATM Petrol/Gas Pump Seal

- Custom design text or logo together with sequential numbering are standard
- Available in 3 3/8" X 1" and 4 5/16" X 1 3/16"
- Supplied in rolls of 1000 labels with backing liner perforated between each seal for easy use



KTC Tape

This void message full-transfer packaging tape features 6" perforations for smaller cartons. The printing and numbering are beneath the surface, making them impossible to remove or alter. Its siliconized surface prevents re-sealing with scotch tape after being cut open.

Applications: Drums, Meters, Barrels, Totes, Trailers, Airline liquor carts

- Heat stamped with name or logo and number (7 digits)
- Body dimensions: 1.5" x .8"
- Galvanized wire is either scored for removal by hand or unscored for removal with cutters
- Stainless steel wire is also available
- Tamper resistant wire design

Contact our team to explore all options and find the best solution for your security solution needs.



Contact Us

Phone

1-800-458-SEAL (7325)

Website

www.tydenbrooks.com

Email

info@tydenbrooks.com

Address

2727 Paces Ferry Road SE.
Atlanta, GA 30339